

# Lecture Notes

**TOPIC**

Inheritance, Polymorphism, and  
Virtual Functions


**Prepared by,  
Prof. Sonia Bhattacharya,**

**Department of Computer Science**

# What Is Inheritance?

- Provides a way to create a new class from an existing class
- The new class is a specialized version of the existing class

# Example: Insect Taxonomy



# The "is a" Relationship

- Inheritance establishes an "is a" relationship between classes.
  - A poodle is a dog
  - A car is a vehicle
  - A flower is a plant
  - A football player is an athlete

# Inheritance - Terminology and Notation in C++

- Base class (or parent) - inherited from
- Derived class (or child) - inherits from the base class
- Notation:

```
class Student          // base class
{
    . . .
};
class UnderGrad : public student
{ // derived class
    . . .
};
```

# Back to the 'is a' Relationship

- An object of a derived class 'is a(n)' object of the base class
- Example:
  - an UnderGrad is a Student
  - a Mammal is an Animal
- A derived object has **all** of the characteristics of the base class

# What Does a Child Have?

An object of the derived class has:

- all members defined in child class
- all members declared in parent class

An object of the derived class can use:

- all `public` members defined in child class
- all `public` members defined in parent class

# Protected Members and Class Access

- protected member access specification: like `private`, but accessible by objects of derived class
- Class access specification: determines how `private`, `protected`, and `public` members of base class are inherited by the derived class

# Class Access Specifiers

- 1) `public` – object of derived class can be treated as object of base class (not vice-versa)
- 2) `protected` – more restrictive than `public`, but allows derived classes to know details of parents
- 3) `private` – prevents objects of derived class from being treated as objects of base class.

# Inheritance vs. Access

Base class members

```
private: x  
protected: y  
public: z
```

private  
base class

How inherited base class  
members  
appear in derived class

```
x is inaccessible  
private: y  
private: z
```

```
private: x  
protected: y  
public: z
```

protected  
base class

```
x is inaccessible  
protected: y  
protected: z
```

```
private: x  
protected: y  
public: z
```

public  
base class

```
x is inaccessible  
protected: y  
public: z
```

# Inheritance vs. Access

```
class Grade
```

```
private members:  
  char letter;  
  float score;  
  void calcGrade();  
public members:  
  void setScore(float);  
  float getScore();  
  char getLetter();
```

```
class Test : public Grade
```

```
private members:  
  int numQuestions;  
  float pointsEach;  
  int numMissed;  
public members:  
  Test(int, int);
```

When Test class inherits  
from Grade class using  
public class access, it  
looks like this: 

```
private members:  
  int numQuestions;  
  float pointsEach;  
  int numMissed;  
public members:  
  Test(int, int);  
  void setScore(float);  
  float getScore();  
  char getLetter();
```

# Inheritance vs. Access

```
class Grade
private members:
    char letter;
    float score;
    void calcGrade();
public members:
    void setScore(float);
    float getScore();
    char getLetter();
```

```
class Test : protected Grade
private members:
    int numQuestions;
    float pointsEach;
    int numMissed;
public members:
    Test(int, int);
```

When Test class inherits from Grade class using protected class access, it looks like this: 

```
private members:
    int numQuestions;
    float pointsEach;
    int numMissed;
public members:
    Test(int, int);
protected members:
    void setScore(float);
    float getScore();
    float getLetter();
```

# Inheritance vs. Access

```
class Grade
private members:
    char letter;
    float score;
    void calcGrade();
public members:
    void setScore(float);
    float getScore();
    char getLetter();
```

```
class Test : private Grade
private members:
    int numQuestions;
    float pointsEach;
    int numMissed;
public members:
    Test(int, int);
```

When Test class inherits from Grade class using private class access, it looks like this: 

```
private members:
    int numQuestions;
    float pointsEach;
    int numMissed;
    void setScore(float);
    float getScore();
    float getLetter();
public members:
    Test(int, int);
```

# Constructors and Destructors in Base and Derived Classes

- Derived classes can have their own constructors and destructors
- When an object of a derived class is created, the base class's constructor is executed first, followed by the derived class's constructor
- When an object of a derived class is destroyed, its destructor is called first, then that of the base class

# Constructors and Destructors in Base and Derived Classes

## Program 15-4

```
1 // This program demonstrates the order in which base and
2 // derived class constructors and destructors are called.
3 #include <iostream>
4 using namespace std;
5
6 //*****
7 // BaseClass declaration          *
8 //*****
9
```

# Constructors and Destructors in Base and Derived Classes

## Program 15-4 (continued)

```
10 class BaseClass
11 {
12 public:
13     BaseClass() // Constructor
14         { cout << "This is the BaseClass constructor.\n"; }
15
16     ~BaseClass() // Destructor
17         { cout << "This is the BaseClass destructor.\n"; }
18 };
19
20 //*****
21 // DerivedClass declaration      *
22 //*****
23
24 class DerivedClass: public BaseClass
25 {
26 public:
27     DerivedClass() // Constructor
28         { cout << "This is the DerivedClass constructor.\n"; }
29
30     ~DerivedClass() // Destructor
31         { cout << "This is the DerivedClass destructor.\n"; }
32 };
33
```

# Constructors and Destructors in Base and Derived Classes

```
34 //*****
35 // main function *
36 //*****
37
38 int main()
39 {
40     cout << "We will now define a DerivedClass object.\n";
41
42     DerivedClass object;
43
44     cout << "The program is now going to end.\n";
45     return 0;
46 }
```

## Program Output

```
We will now define a DerivedClass object.
This is the BaseClass constructor.
This is the DerivedClass constructor.
The program is now going to end.
This is the DerivedClass destructor.
This is the BaseClass destructor.
```

# Passing Arguments to Base Class Constructor

- Allows selection between multiple base class constructors
- Specify arguments to base constructor on derived constructor heading:

```
    Square::Square(int side) :  
        Rectangle(side, side)
```

- Can also be done with inline constructors
- Must be done if base class has no default constructor

# Passing Arguments to Base Class Constructor

derived class constructor

base class constructor

```
Square::Square(int side):Rectangle(side, side)
```

derived constructor  
parameter

base constructor  
parameters

# Redefining Base Class Functions

- Redefining function: function in a derived class that has the *same name and parameter list* as a function in the base class
- Typically used to replace a function in base class with different actions in derived class

# Redefining Base Class Functions

- Not the same as overloading – with overloading, parameter lists must be different
- Objects of base class use base class version of function; objects of derived class use derived class version of function

# Base Class

```
class GradedActivity
{
protected:
    char letter;           // To hold the letter grade
    double score;         // To hold the numeric score
    void determineGrade(); // Determines the letter grade
public:
    // Default constructor
    GradedActivity()
        { letter = ' '; score = 0.0; }

    // Mutator function
    void setScore(double s)
        { score = s;
          determineGrade();}

    // Accessor functions
    double getScore() const
        { return score; }

    char getLetterGrade() const
        { return letter; }
};
```

# Derived Class

```
1 #ifndef CURVEDACTIVITY_H
2 #define CURVEDACTIVITY_H
3 #include "GradedActivity.h"
4
5 class CurvedActivity : public GradedActivity
6 {
7 protected:
8     double rawScore;    // Unadjusted score
9     double percentage;  // Curve percentage
10 public:
11     // Default constructor
12     CurvedActivity() : GradedActivity()
13         { rawScore = 0.0; percentage = 0.0; }
14
15     // Mutator functions
16     void setScore(double s)           Redefined setScore function
17         { rawScore = s;
18           GradedActivity::setScore(rawScore * percentage); }
19
20     void setPercentage(double c)
21         { percentage = c; }
22
23     // Accessor functions
24     double getPercentage() const
25         { return percentage; }
26
27     double getRawScore() const
28         { return rawScore; }
29 };
30 #endif
```

# Driver Program

```
13 // Define a CurvedActivity object.
14 CurvedActivity exam;
15
16 // Get the unadjusted score.
17 cout << "Enter the student's raw numeric score: ";
18 cin >> numericScore;
19
20 // Get the curve percentage.
21 cout << "Enter the curve percentage for this student: ";
22 cin >> percentage;
23
24 // Send the values to the exam object.
25 exam.setPercentage(percentge);
26 exam.setScore(numericScore);
27
28 // Display the grade data.
29 cout << fixed << setprecision(2);
30 cout << "The raw score is "
31     << exam.getRawScore() << endl;
32 cout << "The curved score is "
33     << exam.getScore() << endl;
34 cout << "The curved grade is "
35     << exam.getLetterGrade() << endl;
```

## Program Output with Example Input Shown in Bold

```
Enter the student's raw numeric score: 87 [Enter]
Enter the curve percentage for this student: 1.06 [Enter]
The raw score is 87.00
The curved score is 92.22
The curved grade is A
```

# Problem with Redefining

- Consider this situation:
  - Class `BaseClass` defines functions `x()` and `y()`.  
`x()` calls `y()`.
  - Class `DerivedClass` inherits from `BaseClass` and redefines function `y()`.
  - An object `D` of class `DerivedClass` is created and function `x()` is called.
  - When `x()` is called, which `y()` is used, the one defined in `BaseClass` or the the redefined one in `DerivedClass`?

# Problem with Redefining


BaseClass

```
void X();  
void Y();
```

DerivedClass

```
void Y();
```


```
DerivedClass D;  
D.X();
```



Object D invokes function X() In BaseClass. Function X() invokes function Y() in BaseClass, not function Y() in DerivedClass, because function calls are bound at compile time. This is static binding.


# Class Hierarchies

- A base class can be derived from another base class



# Class Hierarchies

- Consider the GradedActivity, FinalExam, PassFailActivity, PassFailExam hierarchy in Chapter 15.



# Polymorphism and Virtual Member Functions

- Virtual member function: function in base class that expects to be redefined in derived class
- Function defined with key word `virtual`:  

```
virtual void Y() {...}
```
- Supports dynamic binding: functions bound at run time to function that they call
- Without virtual member functions, C++ uses static (compile time) binding

# Polymorphism and Virtual Member Functions

```
29 void displayGrade(const GradedActivity &activity)
30 {
31     cout << setprecision(1) << fixed;
32     cout << "The activity's numeric score is "
33         << activity.getScore() << endl;
34     cout << "The activity's letter grade is "
35         << activity.getLetterGrade() << endl;
36 }
```

Because the parameter in the `displayGrade` function is a `GradedActivity` reference variable, it can reference any object that is derived from `GradedActivity`. That means we can pass a `GradedActivity` object, a `FinalExam` object, a `PassFailExam` object, or any other object that is derived from `GradedActivity`.

A problem occurs in Program 15-10 however...

## Program 15-10

```
1  #include <iostream>
2  #include <iomanip>
3  #include "PassFailActivity.h"
4  using namespace std;
5
6  // Function prototype
7  void displayGrade(const GradedActivity &);
8
9  int main()
10 {
11     // Create a PassFailActivity object. Minimum passing
12     // score is 70.
13     PassFailActivity test(70);
14
15     // Set the score to 72.
16     test.setScore(72);
17
18     // Display the object's grade data. The letter grade
19     // should be 'P'. What will be displayed?
20     displayGrade(test);
21     return 0;
22 }
```

```

23
24 //*****
25 // The displayGrade function displays a GradedActivity object's *
26 // numeric score and letter grade.                               *
27 //*****
28
29 void displayGrade(const GradedActivity &activity)
30 {
31     cout << setprecision(1) << fixed;
32     cout << "The activity's numeric score is "
33         << activity.getScore() << endl;
34     cout << "The activity's letter grade is "
35         << activity.getLetterGrade() << endl;
36 }

```

### Program Output

```

The activity's numeric score is 72.0
The activity's letter grade is C

```

As you can see from the example output, the `getLetterGrade` member function returned 'C' instead of 'P'. This is because the `GradedActivity` class's `getLetterGrade` function was executed instead of the `PassFailActivity` class's version of the function.

# Static Binding

- Program 15-10 displays 'C' instead of 'P' because the call to the `getLetterGrade` function is statically bound (at compile time) with the `GradedActivity` class's version of the function.

We can remedy this by making the function *virtual*.

# Virtual Functions

- A virtual function is dynamically bound to calls at runtime.  
At runtime, C++ determines the type of object making the call, and binds the function to the appropriate version of the function.

# Virtual Functions

- To make a function virtual, place the virtual key word before the return type in the base class's declaration:

```
virtual char getLetterGrade() const;
```

- The compiler will not bind the function to calls. Instead, the program will bind them at runtime.

# Updated Version of GradedActivity

```
6 class GradedActivity
7 {
8 protected:
9     double score; // To hold the numeric score
10 public:
11     // Default constructor
12     GradedActivity()
13         { score = 0.0; }
14
15     // Constructor
16     GradedActivity(double s)
17         { score = s; }
18
19     // Mutator function
20     void setScore(double s)
21         { score = s; }
22
23     // Accessor functions
24     double getScore() const
25         { return score; }
26
27     virtual char getLetterGrade() const;
28 };
```

The function

is now

virtual.

The function also becomes virtual in all derived classes automatically!

# Polymorphism

If we recompile our program with the updated versions of the classes, we will get the right output, shown here: (See Program 15-11 in the book.)

## **Program Output**

```
The activity's numeric score is 72.0  
The activity's letter grade is P
```

This type of behavior is known as polymorphism. The term *polymorphism* means the ability to take many forms.

Program 15-12 demonstrates polymorphism by passing objects of the `GradedActivity` and `PassFailExam` classes to the `displayGrade` function.

## Program 15-12

```
1  #include <iostream>
2  #include <iomanip>
3  #include "PassFailExam.h"
4  using namespace std;
5
6  // Function prototype
7  void displayGrade(const GradedActivity &);
8
9  int main()
10 {
11     // Create a GradedActivity object. The score is 88.
12     GradedActivity test1(88.0);
13
14     // Create a PassFailExam object. There are 100 questions,
15     // the student missed 25 of them, and the minimum passing
16     // score is 70.
17     PassFailExam test2(100, 25, 70.0);
18
19     // Display the grade data for both objects.
20     cout << "Test 1:\n";
21     displayGrade(test1);    // GradedActivity object
22     cout << "\nTest 2:\n";
```

```

23     displayGrade(test2);    // PassFailExam object
24     return 0;
25 }
26
27 //*****
28 // The displayGrade function displays a GradedActivity object's *
29 // numeric score and letter grade.                               *
30 //*****
31
32 void displayGrade(const GradedActivity &activity)
33 {
34     cout << setprecision(1) << fixed;
35     cout << "The activity's numeric score is "
36           << activity.getScore() << endl;
37     cout << "The activity's letter grade is "
38           << activity.getLetterGrade() << endl;
39 }

```

### Program Output

Test 1:

The activity's numeric score is 88.0

The activity's letter grade is B

Test 2:

The activity's numeric score is 75.0

The activity's letter grade is P

# Polymorphism Requires References or Pointers

- Polymorphic behavior is only possible when an object is referenced by a reference variable or a pointer, as demonstrated in the `displayGrade` function.

# Base Class Pointers

- Can define a pointer to a *base* class object
- Can assign it the address of a *derived* class object

```
GradedActivity *exam = new PassFailExam(100, 25, 70.0);  
  
cout << exam->getScore() << endl;  
cout << exam->getLetterGrade() << endl;
```

# Base Class Pointers

- Base class pointers and references only know about members of the base class
  - So, you can't use a base class pointer to call a derived class function
- Redefined functions in *derived* class will be ignored unless *base* class declares the function `virtual`

# Redefining vs. Overriding

- In C++, redefined functions are statically bound and overridden functions are dynamically bound. So, a virtual function is overridden, and a non-virtual function is redefined.

# Virtual Destructors

- It's a good idea to make destructors virtual if the class could ever become a base class.
- Otherwise, the compiler will perform static binding on the destructor if the class ever is derived from.
- See Program 15-14 for an example

# Abstract Base Classes and Pure Virtual Functions

- Pure virtual function: a virtual member function that must be overridden in a derived class that has objects
- Abstract base class contains at least one pure virtual function:  

```
virtual void Y() = 0;
```
- The `= 0` indicates a pure virtual function
- Must have no function definition in the base class


# Abstract Base Classes and Pure Virtual Functions

- Abstract base class: class that can have no objects. Serves as a basis for derived classes that may/will have objects
- A class becomes an abstract base class when one or more of its member functions is a pure virtual function

# Multiple Inheritance

- A derived class can have more than one base class
- Each base class can have its own access specification in derived class's definition:

```
class cube : public square,  
            public rectSolid;
```



# Multiple Inheritance

- Problem: what if base classes have member variables/functions with the same name?
- Solutions:
  - Derived class redefines the multiply-defined function
  - Derived class invokes member function in a particular base class using scope resolution operator ::
- Compiler errors occur if derived class uses base class function without one of these solutions